

1 INVENTOR:

2
3 Nicholas Keith BURKE
4 56 Center Ave Ext
5 Norwalk, Connecticut 06851
6 U.S. Citizen
7

8
9 AMUSEMENT PARK SYSTEM
10

11
12 FIELD OF THE INVENTION

13 The invention relates to a method of enhancing fun and safety in an amusement park
14 by accessing information on a database via a handheld device for patrons.
15

16
17 BACKGROUND

18 Family outings are occasions that can be wonderful times for bonding and spending
19 quality time together. Family outings to amusement and theme parks can be special
20 times that leave children with lifelong memories of "meeting" their favorite cartoon
21 character or having their own "real-life" action adventure.
22

23 Such outings can also be sources of stress and concern for family members visiting an
24 area with so many new sights and sounds. It is easy for both adults and children to
25 become distracted by all the excitement and attractions. Often attempts to plan the trip
26 and including the children in that process will help make your outing in the park more
27 enjoyable and safe can be quite involved, not anticipate all possible mishaps, and fail
28 due to numerous causes.
29

30 There are many problems common to amusement parks. One of the more serious
31 problems is children getting separated from their parents. There are many precautions
32 that can be taken to reduce the risk of losing a child or getting separated from your

1 group. A number of amusement park facilities have tried to remedy this problem.

2 There have been some successful plans implemented in some amusement parks across
3 the country.

4
5 Valleyfair Amusement Park, for example, has instituted a new KidTrack program. This
6 program assists in reuniting lost children with their parents. Parents can register their
7 children for the safety system once they have entered the park. The children wear a
8 special wristband with the parent's cell phone number on it. If the child becomes
9 separated from their parents all they have to do is talk to any park employee for help.

10
11 ParkWatch is another new technology where for \$2 to \$3 a day, each child is given a
12 wristwatch-like unit and parents can check kiosks around the park to find their
13 whereabouts. Each wristband has a serial number and is programmed with the
14 individual's name. ParkWatch has been installed at Hyland Water Park near Denver.

15 Problems associated with amusement parks are of great concern and above given rise to
16 much technology. See, for example, U.S. Patent No. 6,606,556 Curatolo et al, U.S.
17 Patent No. 6,472,976 Wohl, U.S. Patent No. 6,424,264 Giraladin, and U.S. Patent No.
18 6,239,700 Hoffman et al.

20 SUMMARY OF THE INVENTION

21 The present invention is a new method of tracking people within an amusement park.
22 The goal of the invention is to increase the enjoyment and safety of the guests in the
23 park. The invention centers around a multi-functional electric handheld device and a
24 device monitoring backbone that will bring a multitude of services to park guests to
25 allow them to access a range of services which fund operation of the system by freeing
26 up patron time and reducing traffic, confusion and stress to allow increased activity
27 levels. The system may also accommodate a rental fee for handheld devices, or the use
28 of existing devices such as patron owned palm pilot (tm) or Blackberry (tm) devices.

1
2 In accordance with the invention, when park guests purchases a ticket, they are
3 outfitted with a wristbands. Within the wristband is a small transponder. The
4 transponder allows the wireless data infrastructure to locate transponders and then all
5 guests throughout the park. Each group of guests is provided with a single (or
6 alternatively more than one, perhaps for a fee) transceiver. When the wristbands are
7 distributed, they are assigned to the group transceiver. A user can determine and
8 change a prepaid amount to be credited to the transceiver. The predetermined amount
9 of funds assigned to the transceiver can then be transferred to the individual
10 transponders.

11
12 The invention embodies a new tracking method designed to be used in amusement
13 parks. When entry tickets are purchased, the family is fitted with a wristband and a
14 handheld transceiver, which may be a dedicated device or a programmed consumer
15 owned general purpose wireless device, such as a Blackberry (tm) or cellphone.
16 Alternatively, wrist bands alone may be given out and the transceivers made an
17 optional "extra". The family is assigned to an account to which they can link a credit
18 card in order to make in-park purchases. In addition the handheld device can display a
19 map of the park giving the location of group members and highlighting points of
20 interest, such as rides, restaurants, stores and other facilities. Because each person on
21 the account has a wristband, the system can be used as a tracking device, and as a
22 mechanism for charging the prepaid fund deposit.

23
24 Parents separated from their children is a common problem in amusement parks. This
25 invention thus aids in reducing the number of children that get lost. The transceiver is
26 configured to interrogate a central data base and display wait times for particular rides
27 and attractions. If a user selects the option on the handheld device, the user is able to
28 see the approximate wait time for a variety of information, including information

1 obtained from park vendors, who are also connected to the backbone, for example, a
2 particular park ride.

3
4 The device also includes a feature that allows the user to reserve a table for dinner or
5 tickets to a show. This option can also be found on the main menu under a "Find"
6 option. Menus for restaurants, reviews of shows, store items for purchase are all
7 available through the system and provide the user with an easy to use information
8 system.

9
10 At the initial time of the purchase, the family is able to put "e-money" on the device so
11 that children or other members of the group are able to go shopping at a store and
12 purchase items with the e-money. A child safety provision would be employed so that
13 the parents could monitor, regulate, prohibit and/or limit a child's spending.

14
15 Another feature of the invention is that it can incorporate a digital camera. At the end
16 of the day the digital photos can be transferred onto a disk and taken home as a
17 keepsake for a small fee. This invention remedies the common problems faced in an
18 amusement park thereby optimizing a family's enjoyment. Long waits in an
19 amusement park are a regular occurrence. The invention remedies this problem in a
20 number of ways.

21
22 First, an interactive map allows the user to see the real time wait for a particular ride. In
23 addition, the computer can tell the user where there is the shortest wait.

24
25 Second, the system allows the user to make a reservation and hold a place in line. This
26 may be used for rides, a table for dinner, ordering food for pickup, and so forth.
27 There are different levels of priority based on the purchase price of the system. The
28 silver level is the least expensive, followed by gold and then followed by platinum, the

1 most exclusive package. The higher the package purchased, the higher priority the
2 family is given. Only a certain number of platinum packages are allotted for purchase.
3 They all distributed on a first come, first serve basis. The purpose of limiting the
4 platinum packages is to keep the priority levels effective.

5
6 When a wait in line is unavoidable, the handheld transceiver may be equipped with a
7 variety of games for entertainment. The user enters the network where the user may
8 play interactive games alone or against other users in the park who are identifiable by
9 personal nickname or group nickname. Such games may be games of skill, such as
10 Dungeons and Dragons or may be designed for group play such as an education term
11 versus team quiz competition. Ordering of food or services ahead of time may also
12 done using the system.

13 14 15 BRIEF DESCRIPTION OF THE DRAWINGS

16 Figure 1 is a schematic diagram of the inventive amusement park;
17 Figure 2 is a flowchart illustrating the method of the present invention; and
18 Figure 3-14 illustrate transceiver screens during operation of the invention.

19 20 21 22 DETAILED DESCRIPTION OF THE DRAWINGS

23
24 In accordance with the present invention, a tracking system designed to enhance the
25 safety and enjoyment of families at an amusement park or other recreational facility is
26 provided.

1 A host system 10 constructed in accordance with the present invention is illustrated in
2 Figure 1. System 10 comprises a central server 12 which is put in communication with
3 various facilities of the amusement park, such as waterslide 14, Ferris wheel 16 theatre
4 18 and restaurant 20. Communication may be by any means, such as wireless data
5 transfer, hard wires, dial up internet, Ethernet, or the like. However, given the
6 proliferation of Internet connections in the world, cyberspace 22, (for example, the
7 Internet) is implemented in the illustrated embodiment. Server 12 is controlled by a
8 management software program 24 and maintains information in a database 26. Server
9 12 communicates in cyberspace 22 through a modem 28 which connects it to an
10 Internet service provider 30 who is, in turn, connected to, for example, the backbone of
11 the Internet.

12
13 In similar fashion, waterside attraction office personal computer 14 is connected
14 through the local telephone office 32 to its Internet service provider 34, which, in turn,
15 provides connection to the Internet. Ferris wheel office personal computer 16, theater
16 office personal computer 18 and restaurant office personal computer 20 are connected
17 to the Internet by their local telephone office 36, 38 and 40 to their Internet providers 42,
18 44 and 46, respectively. As will be apparent, waterslide 14, Ferris wheel 16, theatre 18,
19 and restaurant 20 are situated at different locations within the park.

20
21 In accordance with one embodiment, groups of patrons are each provided with a
22 transceiver (typically given to an adult or chaperone) and one or more transponder
23 wristbands (typically given to children in the group). In the illustrated example, one
24 group is provided with transceiver 48 and transponders 50 and 52, with the supervising
25 adult wearing a wristband and holding a transceiver. Another group is provided with
26 a transceiver 54 and transponders 56, 58, 60 and 62. It is noted that the child wearing
27 transponder 62 is relatively remote from the other children associated with transceiver

54, being in theater 18. A third group is provided with a transceiver 64 and associated transponder 66, 68 and 70.

In accordance with the preferred embodiment all individuals holding transceivers are also given transponders, so that the transceiver may be moved from one responsible individual to another, for example from a husband to a wife as they share the duties of supervising their family.

As information input board 72 is associated with server 12 and receives information directly from transceivers 48, 54 and 64. A number of transponder readers 74, 76, 78, 80, 82, 84, 86, 88, 90 and 92 are located at various locations throughout the park and inform the locations of transponders, such as transponder 50 and 52 to input board 72.

Transponder readers 74-92 are used as location interrogators to determine the location of the transducers and, accordingly, the individuals with whom the transducers are associated because the individuals are wearing the transducers on their wrists.

Optionally, triangulation, using a number of receivers at different locations, may be used to locate transceiver.

The operation of the system 10 of the present invention may be understood with reference to Figure 2. When customers come to the amusement park with their children, the group is able to RENT or may be furnished as part of a package with at least one transceiver, such a transceiver 48, at step 112. Such a transceiver 48 is illustrated in detail in Figure 3, displaying the default screen.

At this point, optionally, the group may be assigned a rating, such as silver, gold or platinum, as discussed above with eligibility for reserved places or priority at rides, attractions, restaurants, theaters and so forth. In accordance with the present invention,

1 it is contemplated that such reserve places will be released in response to 1) certain
2 levels of demand and 2) as a function of time before availability based on objectives of
3 filling all seats.

4
5 Next, at step 114, funds are collected from the customer and credited to the transceiver
6 and thus the group associated with the transceiver. At step 116 the persons operating
7 the amusement park identify the various individuals by type, such as by age and sex,
8 and at step 118, they select a transponder particular to the individual type. For example
9 one transponder may be for male children between three and six years old. Another
10 transponder may be for teenage female children between twelve and sixteen years old.

11
12 In accordance with the present invention, the transponders are used to determine the
13 location of the individuals. Knowledge of the age and sex of the child or knowledge of
14 the fact that the individual wearing the transponder is an adult be used in an artificial
15 intelligence program associated with central server 12 to assess the appropriateness of
16 the presence of the individual in various locations. The objective is to determine a
17 dangerous condition and prevent the same by alerting the transceiver which has been
18 given to the supervisory adult. Optionally, multiple transceivers may be given to
19 multiple supervisory adults and common warnings sent to all transceivers.

20
21 For example, if the system determines that transponders 56, 58 and 60 are in closely
22 associated proximity with transceiver 54, and notes that the only other transponder
23 associated with the system is transponder 62, is associated to a very young child not
24 likdly to be intentionally left in a theater alone, the system will determine that an alert
25 such as an alphanumeric message should be sent to transceiver 54 informing the
26 responsible adult that the child associated with transponder 62 is in the theater. This
27 can be done by name of the transponder wearer is entered in the system when the
28 transponder is given out. For example the screen on the transceiver may read

1 "Warning: Johnny is in the theater and separated from your group by 100 feet. Please
2 push "Cancel" to acknowledge receipt of this message". This can be done by an audible
3 warning such as a ringing sound or the like.

4
5 Additionally, the information respecting the age and sex of the guests and the
6 identification of the attractions which they spend time at and the amount of time that
7 they spend there may be used to improve marketing, control traffic, design additions to
8 the amusement facility or regulate its development, the removal of attractions or other
9 changes.

10
11 At step 120 the transceiver is given to the responsible adult. At step 122 funds
12 associated with the transceiver at step 114 may be selectively associated with various
13 transponders. In accordance with the invention it is contemplated that individuals
14 wearing the transponders will use the same to pay for various attractions using funds
15 associated with the particular transponder.

16
17 Step 120 for the transponders are distributed to the persons that will wear them. In
18 accordance with the invention, it is contemplated that transponders, such as
19 transponders 50 and 52 will be wristbands, although many other forms may be
20 employed, such as toys, hats, necklaces or cards.

21
22 At step 126, each group is given an identification designator which may be a number,
23 or, a nickname, perhaps one selected by the group itself, such as "Brooklyn Rugrats".
24 The purpose of the name selection is to give a team identity in the event of competitive
25 play using the transceiver, as described above. At step 128 the system associates the
26 transponders with the identification designator. The guests are then free to go through
27 the park and visit various attractions, charge rides, food or the like against the funds
28 deposited at step 114, and enjoy the sights. If the group does not have a transceiver,

1 separation of members from the group may be monitored by the inventive system and
2 park employers notifies of dangerous condition.

3
4 Transponder readers, such as transponder readers 74-92 are placed throughout the park
5 at numerous locations which are so close to each other that no matter where in the park
6 an individual is, he is either within range of a transponder reader or cannot leave the
7 park without coming into range of a transponder reader. Ideally, the individual is
8 always within the range of a transponder reader, so that his location is positively
9 known at all times.

10
11 At step 130, transponder readers are interrogated to determine the location of
12 transponders. The information is determined at step 132 and downloaded at step 134 to
13 allow their storage and evaluation at step 136. This information is sent to server 12.
14 This allows the detection of a dangerous condition at step 138, perhaps sending and
15 alarm at step 140, depending upon the guidelines set forth in the operating program 24.
16 the information is also used to determine separation of a child from a responsible adult
17 at step 142 which can also result in the sending of alarm at step 144 if the system is
18 program to determine that the separation is possibly problematic. In addition, statistics
19 respecting attendance, popularity and so forth may be generated at step 146 and a
20 report output at step 148 at step 150 for the purpose of guiding marketing or park
21 designs.

22
23 In accordance with the preferred embodiment of the invention, the system determines
24 whether transceivers and transponders have returned to the area of the office of the
25 operator of the amusement park. If this occurs, the transceiver assignment at step 112
26 and the transponder assignment of the particular transceiver implemented step 118 are,
27 optionally, removed from the system. Such removal may be made in response to
28 detection of the same in a return bin. If, at step 152, the system via server 12 determines

1 that the transponders and transceivers have been returned, the system in forms the
2 collection of the transponders to the operators at step 154.

3
4 As alluded to above, transceivers, such as transceiver 48 may be used to receive alarms,
5 and provide a wide range of functions to the guests at the amusement park. Referring
6 to Figure 3, for example, each transceiver includes a stylus 212. Stylus 212 has a point
7 214 which may be used to select an item from the menu provided on screen 216, such
8 as the item "Group" which has been selected in Figure 3. If "find" button 218 is
9 depressed while "Group" has been selected, the system will produce a map on screen
10 216, as illustrated in Figure 4, showing the location of the various members of a party.

11
12 Alternatively, entries on the screen may be scanned using cursor button 220. Cursor
13 button 220 may also be used to zoom in and out of the various maps displayed by the
14 system. Key 222 may be depressed at any time to obtain a display of the balance of
15 money left on the account associated with the particular transceiver, in this case
16 transceiver 48. Facilities may be placed throughout the park replenishing the balance in
17 their debit accounts with the park. A map of the park may be displayed by pressing
18 button 224 at any time, and the same may be zoomed in or out using cursor 220.
19 Similarly, a camera function, for a self-contained camera lens 226 on the side of the
20 transceiver 48 opposite display 216, may be activated upon depression of key 228. An
21 emergency condition may be signaled to server 12 using the "!" key 230.

22
23 If the "Johnny" entry on screen 216 in Figure 3 is highlighted and map key 24 of the
24 "Find" key is depressed, a display showing the location of Johnny and the location of
25 the person assigned to transceiver 48 will be displayed on screen 216 as illustrated in
26 Figure 5. In similar fashion, if "Bathroom" is highlighted in display 216 in Figure 3 and
27 the "Find" is depressed the system will produce a map showing the location of a
28 bathroom labeled "WC", as illustrated in Figure 6. If the user wished to obtain a

1 slightly larger display which is easier to read, cursor key 220 may be used because the
2 system to display a zoomed in image as illustrated in Figure 7.

3
4 If the user wishes to check the weather, he merely puts point 214 of stylus 212 on the
5 "Weather" entry in display 216, as illustrated in Figure 3 and a weather report is shown
6 on the screen for a period of time after which, it reverts to the default screen of Figure 3.

7
8 If the "Food" alphanumeric entry in screen 216 is clicked with cursor 212 and enter key
9 232 depressed, or alternatively the "Food" alphanumeric entry in screen 216 is double
10 clicked, the system proceeds to the display of restaurants illustrated in Figure 8. The
11 user then can select one of the restaurants in the example of Figure 8 a restaurant by the
12 name of "Lemonade Plus". He may then reserve places for four persons by using the
13 stylus to click on the "Reserve" entry four times. If he clicks too many times, a click on
14 the "Reduce" entry will result in the number being reduced once for each click with
15 stylus 212. Efficiency in the restaurant's service may be achieved by the guest clicking
16 on the "Menu" entry. This will result in presentation of the screen image illustrated in
17 Figure 9. Here, clicking on a particular item will result in ordering the item and
18 Highlighting it. For example, in the instant example, "meatball hero", has been clicked
19 on three times resulting in highlighting the entry and displaying that three heroes have
20 been ordered. Clicking on the "Reduce" alphanumeric display while "Meatball hero" is
21 highlighted will reduce the number of meatball heroes ordered. When the order has
22 been completed, clicking on the "Order alphanumeric display with stylus 212 results in
23 placing the order and identifying the holder of the receiver to the restaurant to expedite
24 service.

25
26 It is noted in accordance with the present invention that communication between the
27 various facilities and the individual is done in the preferred embodiment by the

1 communication originating at, for example, the computer at the office of the facility,
2 passing to the Internet where it is forwarded to the server 212 or vice versa.

3
4 In similar fashion, if "Joe's Subs" is highlighted in the screen of Figure 8 and map key
5 224 is depressed, a map, such as that illustrated in Figure 10, showing the location of the
6 individual and the restaurant Joe's Subs is displayed.

7
8 Referring back to Figure 3, if the "Reserve" alphanumeric display in screen 216 is
9 depressed, by clicking with stylus 212 or highlighting using cursor key 220 and enter
10 key 234, the reservation screen of Figure 11 is displayed. If the cursor used to double
11 click on restaurants the screen of Figure 8 will be displayed. Alternatively, if cursor 212
12 is double clicked on "Reserve" in Figure 8, the screen of Figure 12 will be produced
13 showing, for example, in the case where a four person registration has been request, the
14 available reservation times for four persons. These can be selected by, optionally,
15 double clicking, clicking or using the cursor to select and pressing "Enter".

16
17 Referring again back to Figure 3, if the "Waits" alphanumeric entry is double clicked on
18 using stylus 212, the screen of Figure 13 will be presented. Double-clicking on the
19 "Rides" alphanumeric display will display the various rides and the various waiting
20 times, as illustrated in Figure 14. Reservations may be made by clicking on the
21 "Reserve" alphanumeric designation the appropriate number of times (offset by the
22 correcting number of "Reduce" clicks of necessary while the system highlights a
23 particular ride. The reservation may be sent by pushing the "Enter" key 234. The
24 reservation may be confirmed by an appropriate alphanumeric message on screen 216.
25 In connection with this it is noted that all actions implemented by the system 10 acting
26 through server 12 may be confirmed on the screen by a message to the user of the
27 transceiver.

1 The inventive system may also be used for amusement in the event of persons have to
2 wait on lines. In this case, a selection of games may be presented on the screen for
3 selection by the user. The games may be, for example, video games, or they may be of
4 an educational nature, such a quiz games in which the user may select the subject with
5 which he wished to play. Alternatively, the games may be organized as either
6 competitive video games or competitive quiz games, and so forth with holder of
7 different transceivers, perhaps known or perhaps not known to each other being
8 presented with a munue of potentioal competitors, with the competitors being given the
9 opportunity to select a desired type or specific game and being assigned the game they
10 have slected if thtwo sides wish to paly the same game or being assigned an alternative
11 in the event that a single game cannot be decided upon. Alternatively, an alphanumeric
12 pad may be displayed and a particular team identified for a challenge.

13
14 If desired, players may choose to challenge other unknown players to particular game,
15 in which case the system may present a schedule of potential competitors or past
16 competitors who will receive an alarm indicating the challenge which they may elect to
17 accept or reject by double-clicking on the appropriate answer in a challenge question
18 which appears in their screen. Fro example a challenge question may be: "Do you wish
19 to engage in a movie trivia quiz with the Brooklyn Rugrats". Appearing next to the
20 question may be the answers "yes" and "no". The challenges team then has the option
21 of double-clicking on the "yes" to accept the challenge or "no" to reject the challenge.